

# Bourdon Tube Pressure Gauges Standard Series Type 111.10SP

WIKA Datasheet 111.10SP

## Applications

- Fire sprinkler systems
- Suitable for all media that will not obstruct the pressure system or attack copper alloy parts

## Product Features

- UL-listed (UL-393), United States and Canada
- Factory Mutual (FM) approved
- Reliable and economical



Bourdon Tube Pressure Gauge Type 111.10SP

## Specifications

### Design

EN 837-1 & ASME B40.100

### Sizes

4" (100 mm)

### Accuracy class

± 3/2/3% of span (ASME B40.100 Grade B)

### Ranges

0/80 psi (5,5 bar), retard to 250 psi (17 bar), air  
0/300 psi (20 bar), water

### Working pressure

Steady: 3/4 of full scale value  
Fluctuating: 2/3 of full scale value  
Short time: full scale value

### Operating temperature

Ambient: -40°F to 140°F (-40°C to 60°C)  
Media: 140°F (+60°C) maximum

### Temperature error

Additional error when temperature changes from reference temperature of 68°F (20°C) ±0.4% of span for every 18°F (10°K) rising or falling.

### Bourdon tube

Material: copper alloy  
C-shape

### Pressure connection

Material: copper alloy  
1/4" NPT lower mount (LM)

### Movement

Copper alloy

### Dial

White aluminum with stop pin; black and red lettering

### Pointer

Black aluminum

### Case

Black polycarbonate

### Window

Snap-in clear polycarbonate

### Approvals


UL listed (UL-393)  
Factory Mutual

# Optional Extras

(not all options are UL or FM approved)

- Brass restrictor
- Black-painted steel case
- Custom dial layout
- Other dual scales in combination with psi are available:  
bar, kPa, MPa, kg/cm²

## Dimensions



Size		A	B	C	E	L	T	W	Weight
4"	mm	100	71	30	11.5	3.75		14	
	in	4.0	2.79	1.18	0.45	0.15	1/4"	0.55	0.35 lb.

**Ordering information**  
 Pressure gauge model / Nominal size / Scale range / Size of connection / Optional extras required  
 Specifications and dimensions given in this leaflet represent the state of engineering at the time of printing.  
 Modifications may take place and materials specified may be replaced by others without prior notice.



**WIKAI Instrument Corporation**  
 1000 Wiegand Boulevard  
 Lawrenceville, GA 30043-5868  
 Tel: 888-WIKA-USA • 770-513-8200  
 Fax: 770-338-5118  
 E-Mail: info@wika.com  
 www.wika.com